Species/Strain: Mouse/FVB/N C Number: C97013D **Lock Date:** Not Entered. **Cage Range:** ΑII **Date Range:** ΑII **Reasons For Removal:** ΑII **Removal Date Range:** ΑII **Treatment Groups:** ΑII **Study Gender:** Both

**NONE** 

**Experiment Number: 97013-12** 

**Route: SKIN APPLICATION** 

**PWG Approval Date** 

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

**Test Compound:** Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Test Type: 14-DAY

**Route: SKIN APPLICATION** 

Species/Strain: Mouse/FVB/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014
Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

Male MOUSE
FIRST TERMINAL SACRIFICE AT 17 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

	וטאו	IVIDUAL SURVIVAL TIMES (DATS	9)	
DOSE = 0 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 31.25 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 62.5 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 125 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

**Route: SKIN APPLICATION** 

Species/Strain: Mouse/FVB/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

Male MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 250 MG/KG

TOTAL 5

**UNCENSORED DEATHS 0** 

**CENSORED DEATHS 0** 

**TERMINAL 5** 

UNCENSORED DEATH DAYS

none

**CENSORED DEATH DAYS** 

none

DOSE = 500 MG/KG

TOTAL 5

UNCENSORED DEATHS 0

**CENSORED DEATHS 0** 

**TERMINAL 5** 

**UNCENSORED DEATH DAYS** 

none

**CENSORED DEATH DAYS** 

none

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

# Male MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS

# KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE					TIME	(DAYS)				
	2	4	6	8	10	12	14	16	18	17(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
31.25 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
62.5 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
125 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
250 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
500 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

**Test Compound:** Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

Male MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	0 MG/KG	31.25 MG/KG	62.5 MG/KG	125 MG/KG	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	17.0	17.0	17.0	17.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

# Male MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	250 MG/KG	500 MG/KG
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)		
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)		
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	17.0	17.0
(STANDARD ERROR)	(0.0)	(0.0)

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

Female MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

	IIIL	ANDONE SOLVIVAL HINES (DAT	J)	
DOSE = 0 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 31.25 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 62.5 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 125 MG/KG				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				

none

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

**Route: SKIN APPLICATION** 

Species/Strain: Mouse/FVB/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014
Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

Female MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 250 MG/KG

TOTAL 5

**UNCENSORED DEATHS 0** 

CENSORED DEATHS 0

**TERMINAL 5** 

**UNCENSORED DEATH DAYS** 

none

**CENSORED DEATH DAYS** 

none

DOSE = 500 MG/KG

TOTAL 5

UNCENSORED DEATHS 0

**CENSORED DEATHS 0** 

**TERMINAL 5** 

**UNCENSORED DEATH DAYS** 

none

**CENSORED DEATH DAYS** 

none

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014
Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

# Female MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS

# KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE					TIME	(DAYS)				
	2	4	6	8	10	12	14	16	18	17(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
31.25 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
62.5 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
125 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
250 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
500 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

**Test Compound:** Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

# Female MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	0 MG/KG	31.25 MG/KG	62.5 MG/KG	125 MG/KG	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	17.0	17.0	17.0	17.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Type: 14-DAY

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

# Female MOUSE FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	250 MG/KG	500 MG/KG
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)		
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)		
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	17.0	17.0
(STANDARD ERROR)	(0.0)	(0.0)

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Water disinfection model (Dichloroacetic acid)

**CAS Number:** 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:19:33

First Dose M/F: NA / NA

Lab: BAT

\*\* END OF REPORT \*\*

<sup>(</sup>A) FIRST TERMINAL SACRIFICE

<sup>(</sup>B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

<sup>(</sup>C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

<sup>(</sup>D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)